



## Aquila 28 Molokai Power Catamaran Specifications

Length overall	9.38 M / 30' 9"
Hull length	8.6 M / 28' 2"
Beam	2.96 M / 9' 8.5"
Hull draft (motors up)	0.34 M / 1' 1.2"
Hull draft (motors down)	0.77 M / 2' 6"
Bridgedeck clearance	0.32 M / 1' 0.5"
Trailing height* (excluding electronics and trailer) *Measured from keel to top of fiberglass hardtop without electronics installed, not including the trailer.	3.37 M / 11' 0.5"
Dry weight (with dual 150 HP outboard engines)	2,797 KG / 6,166 LB

## Tankage

Fuel tank (approx.)	2X 285 = 570 L / 2X 75 = 150 GAL
Freshwater capacity	60 L / 16 GAL
Livewell capacity	113 L / 30 GAL
Fishbox capacity (2 fish boxes)	2X 356 = 712 L / 2X 94 = 188 GAL
FRP Lined Storage Locker Capacity (2 boxes)	2X 197 = 394 L / 2X 104 = 208 GAL


**CE certification B (offshore):8 PAX; C (coastal):12 PAX; D (inland):14 PAX**

## Propulsion

Standard	2X MERCURY 150 HP (300 HP total)
Optional	2X MERCURY 225 HP (450 HP total)

## Features

- Proven and tested hull design from Hawaiian waters offering best in class offshore handling capabilities
- Highest tunnel clearance in class offering better air cushion and reduced hull noise when fishing/trolling
- 360-degree walk around fishability
- Central walkthrough with door at transom offering direct access to stern/excellent for fishing, diving, and recreational water access
- Forward console hinged door opening for easy access to inside console and optional toilet with dockside pump out
- Class leading deck space for fishing and entertainment
- Quality electric including AGM batteries as standard



STANDARD  
MAIN DECK W/ TOP



STANDARD  
MAIN DECK

All specifications and options are subject to change by Sino Eagle Yachts at their sole discretion. Performance is purely indicative and not a contractual commitment. Performance is subject to many variances outside the control of Sino Eagle Yachts. Specifications and graphics in this brochure are non binding and customer must enter into contractual agreement with the Dealer or Agent of Record.

## Hull Features

Aquila Protection Plan: 5 Year hull/deck structural warranty  
 White gelcoat  
 Vinyl ester resin infused hull, deck, cockpit floor and bulkheads  
 Infused fiberglass structural grid  
 Bow eye 316L stainless steel  
 Integrated transom walkthrough between engines  
 Rub rail: High density PVC with solid 316L stainless steel insert  
 Removable boarding ladder with stainless steel grab rails mounted on deck  
 Four (4) separated compartments in each hull which can be individually drained or completely isolated  
 Designated below deck rigging conduits  
 Stainless steel drain plugs in each hull at transom

## Deck Features

Rub rail with solid 316L stainless steel insert  
 Molded one piece deck and cockpit liner with non-skid pattern area  
 Flush mounted integral anchor locker with fiberglass lid  
 Flush mounted lockers on port and starboard side of anchor locker with fiberglass lid  
 Seven (7) through bolted 8" pop up cleats; stern (2), spring (2) and bow (3)  
 Molded split bow seating with cushions and storage below  
 Integrated deck level 316L stainless steel railing  
 Molded recessed hatches with gaskets and stainless steel latches  
 Transom stainless steel rails bolted to deck for ease of water access  
 Seating at forward bow with optional forward facing seats with backrests  
 Flush mounted central storage locker in bow seating  
 Bolster cushions installed on gunwale throughout boat  
 Deck access fiberglass storage locker on port and starboard side of helm console (103 gal each)  
 Designated fiberglass deck access lockers for easy access to aluminum fuel tanks  
 Port and starboard deck access insulated fish boxes each with designated macerator pump outs (94 gal each)  
 Port and starboard deck access mechanical area hatches  
 Large hinged door for easy access into console area with optional toilet  
 Forward facing seating for two (2) passengers in front of console with integrated cushions

## Cockpit Features

Centrally located aft removable door for easy access to transom and swim ladder  
 Fresh water pull out shower at transom (cold water only)  
 Four (4) drink holders located behind helm seats  
 Aft cockpit recessed and forward facing fold out seating with cushions on port and starboard side  
 Two (2) large cockpit drains for fast overboard discharge  
 Two (2) custom designed helm seating  
 Molded helm seat console with four (4) drink holders, two (2) dedicated tackle storages with removable trays  
 Large tackle storage locker with removable trays and designated storage area located above sink and livewell  
 Integrated cutting board with sink and fold down faucet with fresh water supply  
 Livewell (30 gal) with integrated perspex lid and easy flow control valve  
 Stainless steel grab rail around leaning post

Integrated hatches allowing easy access to batteries, fresh water tank, and electrical connections  
 Fusion Marine Entertainment System: Bluetooth compatible system, MS-RA55 head unit with 4 x 6" speakers in hardtop  
 Aft cockpit machinery access hatches  
 Raw water outlet in cockpit with hose  
 LED cockpit courtesy accent light

## Fishing Features

Four (4) stainless steel rod holders in gunwale  
 Lighted Caribbean blue 30 gal recirculating livewell with acrylic lid and flow control valve  
 Under gunwale rod storage (port and starboard)  
 Fish boxes (94 gal each) insulated and diaphragm pumps with overboard discharge (port and starboard)  
 Six (6) stainless steel rod holders in transom  
 Two (2) tilt out storage boxes on each side of helm seat area with removable trays  
 Large tackle storage locker with removable trays and designated storage area with USB charger located above sink and livewell  
 Removable cutting board with fresh water sink below  
 Five (5) hardtop mounted rod holders

## Hardtop and Windshield

Fiberglass hardtop with dedicated radar, antenna and spotlight locations  
 Painted fiberglass structural hardtop supports  
 Fixed windshield with fresh water supply windshield wiper and control at helm  
 Tilt up LED anchor/running light  
 Port and starboard LED running lights flush mounted on hardtop  
 Electrical 12v horn recessed mounted  
 Three (3) forward and aft recessed mounted spreader lights to light up deck area  
 Five (5) rod holders  
 Two (2) Kingfish rod holders

## Helm

Stainless steel steering wheel with control knob on tilt helm  
 12v switch panel with push button switches  
 Compass  
 Waterproof Fusion full function display with Bluetooth capability (MS-RA55)  
 Windshield wiper system connected to fresh water supply with control at helm  
 Bilge pump red indicator light  
 Stainless steel grab rails  
 Integrated glove box with dual USB charger  
 Molded fiberglass footrests  
 EVA foam padding at helm, on top of console, and at molded fiberglass footrests  
 Two (2) cup holders  
 Recessed area next to compass for loose items  
 Mercury digital SmartCraft gauges

## Console

Forward hinged door for access inside console area for storage and optional toilet  
Designated storage area for optional removable bow table  
Opening port hatch  
Easy access to electrical, throttle and steering controls for maintenance  
Molded floor liner  
Designated push button reset 12v fuse panel

## Electrical Systems

All wires run through PVC conduits for ease of rigging  
Dedicated battery switches located under helm seat  
Three (3) AGM battery system: port engine (1), starboard engine (1), and house (1)  
Custom built FRP battery tray for house and starter batteries  
Electronics fuse push to reset fuse panel  
Dual USB outlet at helm with additional USB outlet in large tackle storage locker above livewell/sink

## Mechanical Space

Molded hatch with gasket for easy access  
Each hull with 750 gph bilge pump with red indicator light at helm  
Raw water washdown pump with filter and hose  
Two (2) macerator pumps for fish boxes  
Mercury power steering pump  
Livewell pump with filter  
Valve for draining each individual hull compartment


## Fuel System

Two (2) molded hatches on deck with compression latches for easy access to tank fittings  
Two (2) EPA compliant custom aluminum 75 gal fuel tanks with engine pickups, shut off valves, digital level indicator and two (2) deck fuel plates  
Two (2) Mercury water separating fuel filters


## Water System

16 gal fresh water tank with fill plate  
Fresh water pump  
Concealed flip up faucet  
Molded sink with drain and removable cutting board  
Transom mounted fresh water shower (cold only)

## AVAILABLE PACKAGE: PRO COMFORT



OPTION  
MAIN DECK W/ TOP



OPTION  
MAIN DECK

