

18167 U.S. Highway 19 North Suite 300, Clearwater, Florida, 33767 U.S.A (888) 230-7174 International (813) 579 1720 E-mail: info@aquilaboats.com www.aquilaboats.com



Aquila 38 Designed by Morrelli & Melvin

TECHNICAL DATA

Length Overall	37 ft 8 in / 11.28 m
Beam overall	14 ft 8 in / 4.50 m
Height above waterline with radar arch	15 ft 3 in / 4.65 m
Draft	3 ft / 0.915 m
Displacement	18,400 lbs / 8,400 kg
Fuel Capacity	206 Gal / 780 L
Water Capacity	115 Gal / 440 L
Holding tank (approx)	29 Gal / 110 L
CE certification	B:10 ; C:10* ; D:15* (*TBC)
2 Cabin 2 head, sleeps 4 in cabins plus 2 in salon	6 Pax
Yanmar diesel engines	2 x 110 HP
Range*	Distances in Statute Miles
Estimated range	900 Miles @ 7 knots
	500 miles @ 12 knots
	450 miles @ 15 knots

^{*}All ranges are estimated and based on calm conditions, range could vary considerably due to waves, wind, current, cleanliness of bottom etc. Safe seamanship ahould always dictate cautious approach with ample reserve fuel at all times.

Standard Specifications

Exterior Features

Construction

Resin infused (VARTM) hull and deck construction creating high strength and stiffness

Solid FRP lamination at hull centrelines including all through hulls

Vinylester resin with excellent corrosive and water resistant properties

NPG gelcoat with superior UV resistance

Resin infused bulkheads

All main FRP components resin infused (VARTM) construction including bulkheads

Bow crash box in each hull

Windows in hull and deck high quality tempered shatter proof glass meeting ISO standards

Hull and Deck features

Deck has a molded-in, non-skid pattern

Stainless steel pipe railing with stanchion bases

Anchor chain stopper

Anchor roller fitting with chain plate wear plates

Dedicated liferaft locker

Sliding companionway door

Swimming ladder with teak steps

Cockpit bench seating

Solid GRP Foredeck

Outboard stainless steel life ring holder

Acrylic windows

Deck Hatches (2)

Opening porthole windows (11)

Forward window louvre set

Spacious cockpit lockers (4)

Spacious foredeck lockers (2)

Large coach roof side windows

Coachroof 316 stainless steel grab handrails (2)

Cockpit 316 stainless steel grab handrails (2)

Mooring cleats (6)

Stainless steel drink holders (2)

Large spacious foredeck for sunbathing

LED down lighting in aft cockpit

LED blue accent courtesy lighting in aft cockpit

Fly Bridge

Helm seat with pivoting backrest

Engine control panels

Stainless guard rails

Flybridge seating

Flybridge GRP table

LED Lighting

Sound horn

Walkway from helm station to front of bow

Forward access doorway to bow area

Removable GRP Radar arch across flybridge with LED downlights

Main access from aft cockpit via integrated molded steps

Ergonomic positioned handrail for safe access from aft cockpit

Electronic engine double lever throttle and gearshift control

Variable position steering wheel Power assist hydraulic steering

Compass at helm station

Protected storage cuddy under helm station

Upholstered flybridge cushions with backrest

Lifejacket and safety gear storage under flybridge seats

6 x cup holders located in various areas around flybridge

Technical Features

Bilge pump warning lights at helm & navstation

Instrument panels

Steering, power-assisted

Steering, tilt wheel Steering wheel

Engine Room

Engine room insulation panels for noise reduction

Ventilation fans and ducting (2)

Yanmar 110 HP engines (2)

Exhaust stainless steel skin fittings (2)

Exhaust water locks

Cooling water inlet strainers

Automatic fire suppression heat activiated system with alarm monitors at helmstation

Excellent all round engine and systems access for ease of mainternance

Electronic start/stop switches at helmstation

Engine room lighting

Electric bilge pump in each engine room

Hydraulic steering cylinders (2)

Engine Control

Electronic engine double lever throttle and gearshift control

Instrument panel at helm station

Electronic start/stop switches at helmstation

Underwater Gear

Fixed blade propellers (2)

Propeller shaft -machined stainless steel

Rudders and tiller arm in 316 stainless steel with FRP tube

Shut off valves on all salt water intakes in engine rooms

Sea water strainers with transparent lid

Watertight self aligning dripless shaft seal with 316 stainless housing and self aligning teflon bearing

Extended bronze P bracket for maximum propeller protection

Sacrificial keel forward of drive train

Balanced spade rudders

Interior Features

Salon

Excellent all round visibility from salon

Shatter proof windows with external overhangs offers excellent visibilty and reduced direct sunlight

Overhead LED ceiling lights, LED mood lighting and LED courtesy lighting

Settee seating U shape around salon table seats 6

Salon table

Upholstered cushions

Salon converts into 1 x comfotable double bed

Wear resistant flooring

Forward facing all-weather hatches for ample ventilation

Galley

Two burner propane/ Butane stove in centre of galley

Stainless steel microwave

Refrigerator / Freezer 2 drawer front access offering easy access and efficient packing

Stainless steel sink and single lever variable tempreture faucet

Storage cupboards & drawers offering ample storage for all galley acessories

Deep dish drying rack with corian worktop cover

Durable stain resistant corian countertop

Ample storage lockers on starboard side under corian worktop surface perfect for serving area

Slide out garbage bin

Dedicated blender / Coffee maker / Appliance work area behind corian countertop

Overhead LED ceiling lights as well as mood lighting

LED Courtesy floor lighting

Wear resistant flooring

Storage area above galley cupboards with stainless steel 316 fiddlle

Staterooms

Large windows offering excellent view

Dedicated hanging locker

Ample storage lockers

Overhead LED ceiling lighting and floor courtesy lighting

Overhead LED reading lights

Full size beds in all staterooms

150 mm/ 6 inch memory foam mattresses

Wear resistant flooring

Cabin door offering quiet and privacy

Heads and separate stall showers

Quiet electric flush toilet with large bowl and push button control

Private door leading into cabin

Opening deck hatch offering ample ventilation

Opening portlight

Wash basin with single lever variable temperature faucet

Corian countertop surrounding wash basin

Vanity lockers with mirrors

Flooring in GRP

Separate shower stall with flexible shower faucet

Separate shower compartment with shower sump cover

Overhead fluorescent lighting

Towel hooks, rails and rings

Navigation Area

Navigation worksurface for charts and books

AC/DC electrical panel with circuit breakers and transfer switches for all electrical systems - Inc ample spare breakers

Dedicated display panel for optional generator, desalinator and inverter control panels

Dedicated electronics display panel offering easy access and visibility to electronic systems inc optional VHF radio

Light switch panel controlling all salon, galley and aft cockpit lighting

Water System

Fresh water pressure pumps with accumulator tank offering equal water pressure throughout (2)

Hot water cylinders (2) 13 Gal / 50 L total capacity

Water tanks (2) 115 Gal / 440 L total capacity

Cockpit shower, hot and cold water

Electric bilge pumps with float switches & alarms

Manual bilge pumps (2)

Waste System

Holding tanks (2) 29 Gal / 110 L total capacity

Black water tank

Full lights located in heads

Shower drain pumps

Electrical

Port, starboard & stern lights navigation lights

DC Panel 12v

12v outlet sockets at switch panel (3)

AC switch panel for shore power hook up

AC double outlets in cabins, salon, galley & switch panel

LED courtesy lights at stairways and on flybridge

Shore side electrical system

Fuel tank gauges at helm station (2)

Engine starter batteries (2)

Alternators (2)

Fuel system

Diesel fuel system with racor water seperation filters

Dedicated fuel tank for each engine

Fuel filters for engines and generator

Aluminium fuel tanks with safety shut Off valves and level monitors at helmstation

Safety

Automatic fire supression heat activated system with alarm monitors at helmstation

Fire blanket located in galley

Emergency steering position with custom emergency tiller in 316 stainless steel

Dedicated bow crash boxes in each hull

All deck hatches fitted with latches and water proof