

28


## MOLOKAI CUDDY


 **AQUILA**


## Features

- Proven and tested hull design from Hawaiian waters offering best-in-class offshore handling capabilities
- Highest tunnel clearance in class offering better air cushion and reduced hull noise when fishing/trolling
- Designed for comfort and dry ride offshore with an excellent aft area for various forms of fishing, diving or other water sport activities
- Central walkthrough with removable door at transom offering direct access to stern; excellent for fishing, diving, and recreational water access
- Class leading deck space for fishing and entertainment
- Quality electric including AGM batteries as standard

STANDARD MAIN DECK W/TOP



STANDARD MAIN DECK



## SPECIFICATIONS

LENGTH: 9.38 M • 30' 9"

OVERALL, WITH OUTBOARD ENGINES DOWN.

BEAM: 2.96 M • 9' 9"

HEIGHT: 3.37 M • 11' 1"

TRAILERING HEIGHT MEASURED FROM KEEL TO TOP OF FIBERGLASS HARDTOP WITHOUT ELECTRONICS INSTALLED AND EXCLUDING TRAILER.

DRAFT: 0.77 M • 2' 6"

WITH OUTBOARD ENGINES DOWN.

LIGHT DISPLACEMENT:

2,767 KG • 6,166 LB

WITH DUAL 150 HP OUTBOARD ENGINES.



## TANKAGE

FUEL: 570 L • 150 GAL

WATER: 40 L • 10.6 GAL

OPTIONAL.



## PROPULSION

STANDARD

2x Mercury 150 HP

OPTIONAL

2x Mercury 225 HP



## CE CERTIFICATION

B (OFFSHORE): 8

C (COASTAL): 12

D (INLAND): 14



## FISHABILITY

FISHBOX CAPACITY:

712 L • 188 GAL

TWO FISHBOXES

LIVWELL CAPACITY:

113 L • 30 GAL

All specifications and options are subject to change by Sino Eagle Yachts at their sole discretion. Performance is purely indicative and not a contractual commitment. Performance is subject to many variances outside the control of Sino Eagle Yachts. Specifications and graphics in this brochure are non-binding and customer must enter into contractual agreement with the Dealer or Agent of Record. Actual color samples may vary slightly from digital representation.

OUT THERE STARTS HERE™

aquilaboats.com

Updated 5.8.25

## Hull Features

- Aquila Protection Plan: 5 Year hull/deck structural warranty
- White gelcoat
- Vinyl ester resin infused hull, deck, cockpit floor, and bulkheads
- Infused fiberglass structural grid
- Bow eye 316L stainless steel
- Integrated transom walkthrough between engines
- Rub rail: High density PVC with solid 316L stainless steel insert
- Four (4) separated compartments in each hull which can be individually drained or completely isolated
- Designated below deck rigging conduits
- Stainless steel drain plugs in each hull at transom

## Deck Features

- Rub rail with solid 316L stainless steel insert
- Molded one piece deck and cockpit liner with non-skid pattern area
- Flush mounted integral anchor locker with fiberglass lid
- Flush mounted lockers on port and starboard side of anchor locker with fiberglass lid
- One (1) bow fixed cleat 8"/bollard
- Two (2) bow 8" pop up cleats
- Two (2) stern 8" pop up cleats
- Two (2) through bolted 8" pop up midship cleats
- Transom stainless steel rails bolted to deck for ease of water access with anchorage for optional swim ladder or optional sled
- Bolster foam installed on gunwale aft of cuddy
- Deck access fiberglass storage locker on port and starboard side of helm console for dry storage
- Designated fiberglass deck access lockers for easy access to aluminum fuel tanks
- Port and starboard aft cockpit floor access to mechanical area
- Centrally located aft cockpit drop in door
- Raw water outlet in cockpit with hose

## Cuddy Features

- Fiberglass hardtop with dedicated radar, antenna, and spotlight locations
- Lightly tinted laminated glass windshield
- Lightly tinted perspex side windows with integrated sliding opening windows
- Tilt up LED anchor/running light
- Port and starboard LED running lights
- Electrical 12v horn recessed mounted
- Two (2) aft recessed mounted spreader lights to light up aft deck area
- Six (6) rod holders moved to aft when purchasing extended canopy option
- Five (5) drink holders located behind helm seats
- Two (2) custom designed helm seating
- Two (2) molded helm seat consoles with two (2) drink holders
- 316L stainless steel grab rail at helm console

- Integrated hatches allowing easy access to batteries and electrical connections
- Overhead 12v switch light
- Two (2) opening deck hatches
- Access door to cuddy
- Hinged floor to allow porta potti location and/or additional storage
- Bunk with cushion across front of cuddy
- Small storage area under bunk
- Easy access to electrical, throttle and steering controls for maintenance
- Molded floor
- Designated push button reset 12v fuse panel
- Cover to protect electrical connections
- Overhead light in cuddy



## Fishing Features

- Under gunwale shelf storage (port and starboard)
- Designated fiberglass fish boxes (2 x 94 gal each), insulated and diaphragm pumps with overboard discharge (port and starboard)
- Six (6) stainless steel vertical rod holders in transom
- Gunwales ready to receive up to four (4) rod holders per side (specify on option sheet)
- Reinforcement for outrigger gunwale holder (to be installed by dealer or buyer)

## Helm

- Stainless steel steering wheel with control knob on tilt helm
- 12v switch panel with push button switches
- Compass
- Bilge pump red indicator light
- Integrated glove box with 12v outlet and USB charger
- Dedicated rocker switches for navigation lights and pumps
- Two (2) cup holders
- Storage troughs in front of steering wheel and on top of dash board
- Mercury digital SmartCraft gauges (1 per engine)

## Electrical System

- All wires run through PVC conduits for ease of rigging
- Dedicated battery switches located under helm seat

- Three (3) AGM battery system: port engine (1), starboard engine (1), and house (1)
- Custom built FRP battery tray for house and starter batteries
- Electronics fuse push to reset fuse panel
- One (1) 12v outlet with a total of three (3) USB chargers

### Mechanical Space

- Molded hatch with gasket for easy access
- Each hull with 750 gph bilge pump with red indicator light at helm
- Raw water washdown pump with filter and hose
- Two (2) macerator pumps for fish boxes
- Mercury power steering pump
- Valve for draining each individual hull compartment



### Fuel System

- Two (2) molded hatches on deck with compression latches for easy access to tank fittings
- Two (2) EPA compliant custom aluminum 75 gal fuel tanks with engine pickups, shut off valves, digital level indicator, and two (2) deck fuel plates
- Two (2) Mercury water separating fuel filters

### Optional Configuration

EXTENDED SUN CANOPY



OPTIONAL  
MAIN DECK W/TOP



OPTIONAL  
MAIN DECK

