

28


MOLOKAI




Features

- Proven and tested hull design from Hawaiian waters offering best-in-class offshore handling capabilities
- Highest tunnel clearance in class offering better air cushion and reduced hull noise when fishing/trolling
- 360-degree walk around fishability
- Central walkthrough with door at transom offering direct access to stern/excellent for fishing, diving, and recreational water access
- Forward console hinged door opening for easy access to inside console and optional toilet with dockside pump out
- Class leading deck space for fishing and entertainment
- Quality electric including AGM batteries as standard

STANDARD MAIN DECK W/TOP



STANDARD MAIN DECK



SPECIFICATIONS

LENGTH: 9.38 M • 30' 9"

OVERALL, WITH OUTBOARD ENGINES DOWN.

BEAM: 2.96 M • 9' 9"

HEIGHT: 3.37 M • 11' 1"

TRAILERING HEIGHT MEASURED FROM KEEL TO TOP OF FIBERGLASS HARDTOP WITHOUT ELECTRONICS INSTALLED AND EXCLUDING TRAILER.

DRAFT: 0.77 M • 2' 6"

WITH OUTBOARD ENGINES DOWN.

LIGHT DISPLACEMENT:

2,797 KG • 6,166 LB

WITH DUAL 150 HP OUTBOARD ENGINES.



TANKAGE

FUEL: 570 L • 150 GAL

WATER: 60 L • 16 GAL



PROPULSION

STANDARD

2x Mercury 150 HP

OPTIONAL

2x Mercury 225 HP



CE CERTIFICATION

B (OFFSHORE): 8

C (COASTAL): 12

D (INLAND): 14



FISHABILITY

FISHBOX CAPACITY:

712 L • 188 GAL

TWO FISHBOXES

LIVEWELL CAPACITY:

113 L • 30 GAL

FRP LINED STORAGE CAPACITY:

394 L • 208 GAL

TWO BOXES

Hull Features

- Aquila Protection Plan: 5 Year hull/deck structural warranty
- White gelcoat
- Vinyl ester resin infused hull, deck, cockpit floor, and bulkheads
- Infused fiberglass structural grid
- Bow eye 316L stainless steel
- Integrated transom walkthrough between engines
- Rub rail: High density PVC with solid 316L stainless steel insert
- Removable boarding ladder with stainless steel grab rails mounted on deck
- Four (4) separated compartments in each hull which can be individually drained or completely isolated
- Designated below deck rigging conduits
- Stainless steel drain plugs in each hull at transom

Deck Features

- Rub rail with solid 316L stainless steel insert
- Molded one piece deck and cockpit liner with non-skid pattern area
- Flush mounted integral anchor locker with fiberglass lid
- Flush mounted lockers on port and starboard side of anchor locker with fiberglass lid
- Seven (7) through-bolted 8" pop up cleats; stern (2), spring (2), and bow (3)
- Molded split bow seating with cushions and storage below
- Integrated deck level 316L stainless steel railing
- Molded recessed hatches with gaskets and stainless steel latches
- Transom stainless steel rails bolted to deck for ease of water access
- Seating at forward bow with optional forward facing seats with backrests
- Flush mounted central storage locker in bow seating
- Bolster cushions installed on gunwale throughout boat
- Deck access fiberglass storage locker on port and starboard side of helm console (103 gal each)
- Designated fiberglass deck access lockers for easy access to aluminum fuel tanks
- Port and starboard deck access insulated fish boxes each with designated macerator pump outs (94 gal each)
- Port and starboard deck access mechanical area hatches
- Large hinged door for easy access into console area with optional toilet
- Forward facing seating for two (2) passengers in front of console with integrated cushions

Cockpit Features

- Centrally located aft removable door for easy access to transom and swim ladder
- Fresh water pull out shower at transom (cold water only)
- Four (4) drink holders located behind helm seats
- Aft cockpit recessed and forward facing fold out seating with cushions on port and starboard side
- Two (2) large cockpit drains for fast overboard discharge
- Two (2) custom designed helm seating

- Molded helm seat console with four (4) drink holders, two (2) dedicated tackle storages with removable trays
- Large tackle storage locker with removable trays and designated storage area located above sink and livewell
- Integrated cutting board with sink and fold down faucet with fresh water supply
- Livewell (30 gal) with integrated perspex lid and easy flow control valve
- Stainless steel grab rail around leaning post
- Integrated hatches allowing easy access to batteries, fresh water tank, and electrical connections
- Fusion Marine Entertainment System: Bluetooth compatible system, MS-RA55 head unit with 4 x 6" speakers in hardtop
- Aft cockpit machinery access hatches
- Raw water outlet in cockpit with hose
- LED cockpit courtesy accent light



Hardtop and Windshield

- Fiberglass hardtop with dedicated radar, antenna, and spotlight locations
- Painted fiberglass structural hardtop supports
- Fixed windshield with fresh water supply windshield wiper and control at helm
- Tilt up LED anchor/running light
- Port and starboard LED running lights flush mounted on hardtop
- Electrical 12v horn recessed mounted
- Three (3) forward and aft recessed mounted spreader lights to light up deck area
- Five (5) rod holders
- Two (2) Kingfish rod holders

Helm

- Stainless steel steering wheel with control knob on tilt helm
- 12v switch panel with push button switches
- Compass
- Waterproof Fusion full function display with Bluetooth capability (MS-RA55)
- Windshield wiper system connected to fresh water supply with control at helm
- Bilge pump red indicator light
- Stainless steel grab rails
- Integrated glove box with dual USB charger

- Molded fiberglass footrests
- EVA foam padding at helm, on top of console, and at molded fiberglass footrests
- Two (2) cup holders
- Recessed area next to compass for loose items
- Mercury digital SmartCraft gauges

Console

- Forward hinged door for access inside console area for storage and optional toilet
- Designated storage area for optional removable bow table
- Opening port hatch
- Easy access to electrical, throttle and steering controls for maintenance
- Molded floor liner
- Designated push button reset 12v fuse panel



Electrical System

- All wires run through PVC conduits for ease of rigging
- Dedicated battery switches located under helm seat
- Three (3) AGM battery system: port engine (1), starboard engine (1), and house (1)
- Custom built FRP battery tray for house and starter batteries
- Electronics fuse push to reset fuse panel
- Dual USB outlet at helm with additional USB outlet in large tackle storage locker above livewell/sink

Mechanical Space

- Molded hatch with gasket for easy access
- Each hull with 750 gph bilge pump with red indicator light at helm
- Raw water washdown pump with filter and hose
- Two (2) macerator pumps for fish boxes
- Mercury power steering pump
- Livewell pump with filter
- Valve for draining each individual hull compartment

Fuel System


- Two (2) molded hatches on deck with compression latches for easy access to tank fittings
- Two (2) EPA compliant custom aluminum 75 gal fuel tanks with engine pickups, shut-off valves, digital level indicator, and two (2) deck fuel plates
- Two (2) Mercury water separating fuel filters

Water System

- 16 gal fresh water tank with fill plate
- Fresh water pump
- Concealed flip up faucet
- Molded sink with drain and removable cutting board
- Transom mounted fresh water shower (cold only)

Optional Configuration

PRO PACKAGE

PRO PACKAGE
MAIN DECK W/TOP

PRO PACKAGE
MAIN DECK
