

## Aquila 32 Sport Power Catamaran Specifications

Length overall w/ swim platform excl. anchor roller	<b>9.86 M / 32' 4"</b>
Hull length	<b>9.82 M / 32' 2"</b>
Beam overall	<b>3.85 M / 12' 8"</b>
Length of waterline	<b>8.09 M / 26' 6"</b>
Height above waterline w/ hard top (excludes electrics and electronics)	<b>2.92 M / 9' 7"</b>
Hull draft with outboards up	<b>55 CM / 1' 10"</b>
Dry displacement	<b>4,781 KG / 10,540 LB</b>
Fully loaded displacement	<b>7,548 KG / 16,640 LB</b>
Sleeps (up to)	<b>2</b>
Max passengers	<b>22</b>
Cabins	<b>1</b>
Heads	<b>1</b>
Showers	<b>1</b>



STANDARD MAIN DECK


## Tankage

Fuel tank (approx.)	<b>2x 530 = 1060 L / 2x 140 = 280 GAL</b>
Water tank standard (approx.)	<b>110 L / 29 GAL</b>
Holding tank (approx.)	<b>1x 80 L / 1x 21 GAL</b>

**CE certification B (offshore):6 PAX; C (coastal):16 PAX; D (inland):22 PAX**

## Propulsion

Standard	<b>2x BLACK MERCURY VERADO V6 225 HP and 4" VESSELVIEW DISPLAY</b>
Optional	<b>2x WHITE MERCURY VERADO V8 300 HP W/ JOYSTICK PILOTING CONTROL and 4" VESSELVIEW DISPLAY</b>



STANDARD CABIN

## Construction

Resin infused hull, deck, and bulkhead construction creating high strength and stiffness  
 Vinyl ester resin with excellent corrosive and water resistant properties  
 All main FRP components resin infused vinyl ester construction  
 Solid FRP lamination at hull centerlines including all through hulls  
 NPG gelcoat with superior UV resistance  
 Windows in hull and deck high quality acrylic meeting ISO standards

*All specifications and options are subject to change by Sino Eagle Yachts at their sole discretion. Performance is purely indicative and not a contractual commitment. Performance is subject to many variances outside the control of Sino Eagle Yachts. Specifications and graphics in this brochure are non binding and customer must enter into contractual agreement with the Dealer or Agent of Record.*

## Features

An exceptional performing and seaworthy hull shape providing first in class stability and fuel efficiency

Expansive areas for entertaining and social zones from bow to stern with a well appointed wet bar with sink and tilt out trash bin

The bow seating offers optional seating area providing comfortable forward facing seats with fill in cushion to convert into large sunpad area

Multi zone sound system with Bluetooth with six (6) Fusion 6" speakers

Plenty of seating throughout for seating up to twenty-two (22) people onboard comfortably

Expansive fiberglass hard top with two (2) opening hatches providing protection from sun and weather

For overnighting, high quality comforts are provided by a single double berth cabin to port and separated wet head with fresh water electric flushing toilet to starboard

Custom designed slide out stainless steel boarding ladder system providing easy access in and out of the water

## Interior Layout

Cabin to port and toilet with shower compartment to starboard

Private lockable companionway hatch to cabin and toilet

## Deck Layout

Forward cockpit seating that comfortably seats three (3) for forward facing or large sun lounging area

Helm station to starboard with comfortable seating for two (2)

Passenger seating to port in line with helm station seating for comfortable seating for one (1)—converts to forward or aft facing

Summer kitchen to port with Corian surface, 85 L/3.0 cu ft fridge/freezer, fresh water sink, and tilt out waste bin

Settee seating with folding table to port

Forward facing aft port seat comfortably seating two (2) people with ability to fold down into sunbed

Forward facing aft starboard seat

Entire deck area self draining aft with additional scuppers forward

Intergrated aft side boarding area on port and starboard side for easy access from dock

Stainless steel gate to large aft swim platform

Opening in windscreen and lower door for easy access to forward seating

Anchor locker hatch

Storage lockers forward in each hull with front deck hatches

Large storage locker starboard forward with access from under seat

Storage lockers under all aft seating

Large aft deck hatches for access to equipment lockers

Large aft hatch in swim platform with custom stainless steel retractable swim ladder with teak steps

Easy lift gas shocks for all large hatches

Hard top with stainless steel supports and 2 opening deck hatches

All exterior upholstery designed by leading international company

## Hull and Deck Equipment

Stainless steel railings and handholds in AIS 316L

Custom built PVC rub rail with 316L stainless steel insert offering all round protection

Windscreen in tempered glass with custom aluminum frame

Variable speed windscreen wiper with control mounted at helm

Anchor platform and roller in 316L stainless steel

Electric windlass (12v-700W) with handheld control

Polished stainless steel 22 lb anchor with rope (150 ft), chain (15 ft), and bridle attachment rigging

10x pop up mooring cleats in solid 316L polished stainless steel and thru bolted

Deck fill plates in 316L stainless steel: water (1), fuel (2), waste (1)

LED navigation lights – port, starboard, anchor and running light

Ski tow eyes, stainless steel

Black boot stripe in hull (gelcoat)

Door, bow block off between companionways

LED courtesy lights

Seven (7) integrated self draining carbon drink holders for forward cockpit

Bow filler cushion

Various drink holders located between helm and aft deck area

30 amp shore power plug

LED overhead lights in hardtop for settee and galley

Multi zone sound system with Fusion head unit (Bluetooth) with six (6) Fusion 6" speakers

## Helmsman Station

Adjustable seat comfortably sitting two (2) passengers with individual flip-up bolsters and storage under seating

Electronic engine double lever throttle and gearshift control

Mercury VesselView 4" display with active trim control

Variable position steering wheel with Aquila stainless steel steering wheel

Magnetic compass

Halon fire alarm for each hull

Mercury power assist steering

Two (2) cup holders

Switch panel for common items for ease of use

Horn control

Glove box with USB outlet

AC power outlet

Fiberglass integrated foot rest

## Cabin

V double berth in port cabin—comfortably sleeps two (2)

Memory foam mattresses with durable canvas covers

Wood furniture in plywood with light wood composite laminate and matching hard wood trim

Synthetic wear resistant flooring offering maintenance free natural look

Side and ceiling panels upholstered

Storage shelves, lockers, and drawers

Electric variable speed fan

Designated microwave area with AC outlet

Blinds for deck hatches

LED overhead lights

LED reading lights

AC power sockets

Carbon monoxide alarm

Deck hatch above bed for ventilation

Large hull windows bringing in plenty of light

## Head

Basin surface in Corian  
 Ceiling and inboard sides in low maintenance FRP finish  
 Fresh water mixer faucet with pull out shower head  
 Mirror  
 Large window  
 Electric fresh water toilet with macerator, holding tank located  
     behind air tight bulkhead  
 Electric multi-speed fan  
 Designated electrical cabinet/storage lockers  
 Opening hull port light  
 LED overhead lights  
 Overhead deck hatch roller blind

## Electrical System

Master control panel for 12v and shore power service  
 Helm station LED push button electrical panel  
 Remote battery master switches at panel  
 Engine parallel control remote switch  
 Two (2) dedicated engine start batteries each located in aft locker  
 Two (2) 200 Ah house batteries  
 Battery trays with mounts  
 Inverter/battery charger  
 Galvanic isolator system  
 Reverse polarity indicator  
 Multi zone entertainment system master unit located at helm station  
 30 amp shore power supply plug

## Fuel System

Fully independent heavy gauge aluminum tanks totaling 1060 L/  
     280 gal with gauge at helm station  
 Fuel tank vents  
 Natural ventilation of locker plus forced air ventilation controlled  
     from dash board  
 Water and air tight bulkhead separating cabin/head area  
 Mercury fuel filters  
 Automatic fire suppression heat activated system with alarm  
     monitor at helm station for fuel tank area

## Water and Bilge System

110 L/29 US GAL fresh water tank  
 Automatic 12v fresh water pump  
 1x 15 L/4 gal water heater (only operable from shore power and/or  
     optional generator)  
 Transom pull out shower mixer  
 Faucet-wet bar  
 Pullout sprayer in head  
 Four (4) automatic 12v bilge pumps

## Grey Water System

Automatic grey water pump connected to shower drain for direct  
     overboard discharge

## Black Water System

80 L/21 gal tank located forward of air tight head area bulkhead  
 Deck evacuation or electric direct overboard pump separately  
     controlled

