


36

MOLOKAI



Features

- A double stepped hull design offering the best in class offshore handling capabilities
- Carbon fiber hard top providing light and structurally stiff strength and rigidity
- Carbon fiber utilized within high load structural areas in hull and aft bulkhead
- High tunnel clearance offering an air cushion ride along with reduced hull noise when fishing/trolling
- Single level 360-Degree walk around fishability with forward deck casting platform
- Central walkthrough transom door offering direct access to stern. Concealed stainless steel transom dive ladder with integrated teak steps providing excellent access to water for fishing, diving, and recreational activities
- Fully integrated C-Zone digital switching system (DC power)
- Pantograph opening door on starboard side of console area allowing direct access to interior bed/toilet
- Expansive hull side windows giving excellent visibility to the water
- Class leading deck space for fishing and entertaining spaces
- CE Certified at the highest level of safety possible – ISO CE Certified Category B C D
- standard starboard dive/fish access door making access to the water or docks exceptionally easy

STANDARD MAIN
DECK W/TOPSTANDARD MAIN
DECK W/NO TOPSTANDARD MAIN
DECK CABIN + HEAD

NOTE: The above image shows the optional jump seats in the aft corners and the optional slide out cooler seats.



SPECIFICATIONS

LENGTH: **11.1 M • 36' 5"**
OVERALL, WITH OUTBOARD ENGINES UP.

BEAM: **3.59 M • 11' 9"**

HEIGHT: **2.74 M • 9' 0"**
ABOVE WATERLINE WITH HARDTOP (EXCLUDING ELECTRONICS)

DRAFT: **1065 mm • 3' 6"**
WITH OUTBOARD ENGINES DOWN.

LIGHT DISPLACEMENT:
5,846 KG • 12,888 LB
WITH TWIN MERCURY V-8 500 HP OUTBOARD ENGINES.

LOADED DISPLACEMENT:
8,808 KG • 19,418 LB
WITH TWIN MERCURY V-8 500 HP OUTBOARD ENGINES.



ACCOMMODATIONS

SLEEPS UP TO: **2**

MAX PASSENGERS: **16**

CABINS: **1**

HEADS: **1**



TANKAGE

FUEL: **1,924 L • 508 GAL**

WATER: **80 L • 21 GAL**

HOLDING: **80 L • 21 GAL**



PROPULSION

STANDARD
2x Mercury V8 300 HP

OPTIONAL
2x Mercury V10 400 HP
WITH JOYSTICK PILOTING CONTROL.

2x Mercury V8 500R HP
WITH JOYSTICK PILOTING CONTROL.



CE CERTIFICATIONS

B (OFFSHORE): **8**
C (COASTAL): **12**
D (INLAND): **16**



FISHABILITY

LIVEWELL:
398 L • 106 GAL
OPTIONS AVAILABLE TO ADD ADDITIONAL IN-DECK LIVEWELLS AND TUNA TUBES.

FISHBOX: **750 L • 198 GAL**

ADDITIONAL FISHBOX:
239 L • 63 GAL
OPTIONAL.

FORWARD STORAGE:
1,140 L • 302 GAL

All specifications and options are subject to change by Sino Eagle Yachts at their sole discretion. Performance is purely indicative and not a contractual commitment. Performance is subject to many variances outside the control of Sino Eagle Yachts. Specifications and graphics in this brochure are non-binding and customer must enter into contractual agreement with the Dealer or Agent of Record. Actual color samples may vary slightly from digital representation.

OUT THERE STARTS HERE™

aquilaboats.com

Updated 5.8.25

Construction

Hull and deck build material	Resin infused Vinylester throughout with carbon reinforcement
Primary aft bulkheads	Carbon Fiber
Bulkhead and reinforcing	Resin infused Vinylester (no plywood in structural components or below waterline)
Hard Top	Carbon Fiber
Gel coat of hull	NPG
Water tight bulkheads fore and aft	

Accommodations & Seating

- Standard class leading cabin and head provide sleeping quarters or private retreat from the elements (air conditioning optional)
- Bed comfortably sleeps two people
- Portable toilet, sink with cold faucet (optional fresh water flushing toilet with black water tank)
- Exterior seating facing forwards for up to 10

Hull Features

- Double stepped hull design providing excellent performance and efficiency
- Aquila Protection Plan: 5 year hull/deck structural warranty
- NPG white gelcoat
- Vinylester resin infused hull, deck, cockpit floor and bulkheads
- Infused fiberglass structural grid
- Expansive hull side acrylic windows
- Integrated transom walkthrough between engines with hidden slide out stainless steel ladder
- Rub Rail: High density PVC with solid 316 stainless steel insert
- Starboard side tuna/dive door

Deck Features

- Molded one piece deck and cockpit liner with non-skid pattern area
- Single level without step in forward bow area
- Flush mounted integral anchor locker with fiberglass lid
- Flush mounted lockers on port and starboard side of anchor locker with fiberglass lid
- Seven (7) x 10" pop up cleats: Stern (2), Spring (2), Bow (3)
- Rod Holders – gunnel mounted fishing rod holders (6)
- Rod Holders – aft transom mounted fishing rod holders (6)
- Centrally located transom door with stainless latch
- Lighting – LED courtesy lighting
- Molded recessed deck hatches with gaskets and stainless steel latches
- Rails – low profile recessed handrail from console area around bow
- Bolster cushions installed on gunwale throughout boat
- Optional in deck livewells (2 x 58 Gal) and also optional 4 x medium sized tuna tubes

Cockpit Features

- Centrally located aft door for easy access to transom
- Summer kitchen with sink, cold faucet, cutting board, cupholders (4) – optional BBQ
- Large tackle storage locker with removable trays concealed behind flip down bait prep station
- Flip down bait prep station with EVA foam and fish measurement

- Fresh water pull out shower at transom (cold)
- Integrated storage locations for fresh and salt water washdown hoses
- In-deck storage lockers located on port and starboard side which can be converted to 2 x 58 gal in deck livewells
- LED courtesy lighting – color changing
- Oversized cockpit drains for fast overboard discharge (4)
- Transom pressurized livewells supplied by sea chest with high speed pick ups and livewell pumps – 2 x 53 Gal – Integrated acrylic lids
- Storage area with lid located on outboard side of each transom livewell – optional conversion to 2 x medium sized tuna tubes in each compartment (total 4)
- Large in deck machinery access hatches for easy access to systems and pumps (2)
- Self bailing cockpit sole with oversized drains
- Custom designed slide out stainless steel ladder integrated into aft deck walkthrough area offering excellent access to and from the water for diving and entertainment
- Molded fiberglass boarding/dive door on starboard side
- Cupholders at transom seating (4)

Helm & Console Seating

- Helm seating (3) including flip down bolster cushion – each with individual designated arm rests
- Teak wood accents at helm station
- Pantograph opening door on stbd side of console into cabin area
- Black acrylic helm panel for flush mount electronics installation
- Tackle box storage located under stbd helm seating
- Centrally located helm station with adjustable stainless steering wheel
- Flip down fiberglass helm floor with EVA mat allowing enhanced visibility when needed



- Molded footrests in console (2)
- Slide out trash bin located under port helm seating
- Rails – hand holds each side of helm station
- Mercury DTS multi-engine throttle control
- ActiveTrim control
- C-Zone 5" Display for controlling DC electrical items
- Lighting – color changing LED courtesy lighting
- Rails – hand holds on each side of forward facing seating
- Magnetic compass
- Cup holders at helm station (4)
- Integrated glove box with USB-A/C charging outlets
- Wrap around windshield providing excellent coverage for helm seating from weather elements
- Optional electric windshield wiper system

Hardtop

- Full carbon fiber hardtop with dedicated positions for Razor lights, radar, night vision camera, outriggers, and antenna's
- Reinforced designated landing locations on top of hard top for aftermarket fishing tower installation
- Painted fiberglass structural hardtop supports – aft supports include integrated steps built in for easy access
- Underside of hardtop painted in grey to reduce sunlight glare
- Designated 12v switch area for every day use items
- Fusion radio MS-RA670 control head
- Two (2) x overhead helm station Fusion XS 7.7" speakers
- Two (2) x forward facing Fusion XS 7.7" speakers
- Two (2) x aft cockpit facing Fusion XS 7.7" speakers
- Livewell pump control
- Rod Holders – hardtop mounted stainless steel rod holders (7)
- Hand rails mounted to aft hard top supports (2)
- Designated reinforced areas for easy addition of outrigger bases
- Recessed steps built into aft hard top supports to allow easy access to hard top or fishing tower
- Designated mounting area for optional aft facing chart plotter
- Flush mounted LED spreader lights on aft section of hard top (2 total)
- Flush mounted forward facing LED spreader lights (2 total)
- Side mounted LED spreader lights (2 total)
- Overhead LED lighting (color changing)
- Running and anchor navigation lights – LED



Bow Area

- Three (3) x forward facing lounge seating with integrated arm rests with built in cup holders
- Integrated flip down arm rest cup holders –(4)
- In-deck storage
- Optional additional fish box storage under forward facing seating
- Port and starboard access hatches on each side of centrally located anchor hatch
- Easy access to anchoring/windlass system through forward bow access hatches
- Color changing LED courtesy lighting
- Integrated deck level 316 stainless steel railing

Cabin

- Lockable pantograph door on starboard side of console allowing easy access into cabin
- Memory foam mattress with durable canvas cover / 53" (1348mm) x 52" (1320mm) mattress
- EVA foam mat at floor area
- Blinds for side windows
- LED overhead lights
- Opening port hatch on side windows

- Carbon monoxide and smoke detector
- Console windows which provide visibility to the water through the hull side windows
- Sink with faucet – cold water
- Portable toilet
- Low maintenance gelcoat finished ceiling
- In deck storage area
- Toilet paper holder
- Access panels to electrical and systems
- Optional electric fresh water flushing with black water holding tank and discharge pump/deck pump out

Mechanical / Electrical

- V8 300HP DTS twin Mercury Four Strokes Electronic hydraulic power steering
- C-Zone digital switching system with 5" display at helm (DC power)
- Anchor light/navigation lights
- Fusion Signature Series audio package – 670 control head, 6 x 7.7" speakers
- Remote battery master switches
- House battery bank with charger
- Electric horn
- Bonding system for underwater thru hull fittings
- Engine fuel / water separators
- Sea chest with pumps
- Each hull with automatic bilge pump with ability to manually operate at helm (Total qty 4)
- Raw water washdown pump with spray hose
- Fresh water onboard supply pump
- Seawater intakes (high and low speed)
- Macerator pumps for aft and forward fish/ice boxes (4x)
- Raw water manifold for livewells and washdown pump
- Engine starter batteries (2 x 105 A/h) AGM technology in dedicated battery area
- Optional 30A shore power
- Optional DC powered air-conditioning system (must select shore power option)
- Optional lithium ion battery package to power DC air-conditioning system (must select shore power))

Fuel

- Fully independent heavy gauge aluminum 254 gal tanks installed in each hull (total capacity 508 gal)
- Fuel transfer system allowing engines to pull off both fuel tanks or just one
- Manual fuel shut off valves
- EPA regulated fuel breather/filler system
- Mercury engine fuel/water separators

Water / Waste / Bilge

- Fresh water tank (21 Gal / 80 L)
- Automatic 12v fresh water pump
- Fresh and raw water washdown
- Livewell sea chest
- Faucet – inside cabin and wet bar – cold water
- Transom pull out shower – cold water
- Four (4) automatic 12v bilge pumps
- Two (2) automatic 12v bilge pumps for fuel tank compartment
- Optional electric fresh water flushing with black water holding tank and discharge pump/deck pump out

